

FIG. 2 (PRIOR ART)





FIG. 3






FIG. 4A






FIG. 4B








FIG. 6A




FIG. 6B





FIG. 7



>




FIG. 9

FIG. 10




FIG. 11A




FIG. 11B




FIG. 12

```
/// The method reads the store and creates the ICodeGenerationInput needed for
                                                                                                                                                                                         /// <param name="input">ICodeGenerationInput defines the data needed for cod-
                                                                                                                                                                                                                                                               /// <returns>The GeneratedCodeWithWritableArePositions.</returns>
                                                                                                              /// The method returns a GeneratedCodeWithWritableArePositions.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ICodeGenerationInput CreateCodeGenerationInput();
                                                                                                                                                                                                                                                                                                    GeneratedCodeWithWritableAreaPositions
                                                                                                                                                                                                                                                                                                                                          GenerateCode(ICodeGenerationInput input);
                                                                                                                                                                                                                                                                                                                                                                                                                                           public interface IModelBasedCodeGenerator
public interface ICodeGenerator
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        /// <returns></returns>
                                                                                                                                                    /// </summary>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    /// </summary>
                                                                               /// <summary>
                                                                                                                                                                                                                               generation.</param>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       /// <summary>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  code generation.
```

FIG. 13




FIG. 14





FIG. 15







FIG. 17

1996-07-12 00:00:00 1-36-07-13 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-14 1-36-07-15 1-36-07	56424.86 58.6
	3.85
	9
	100.5
	76
	40.4
	30.8
(lbm) (lbm)	88.3
	35.6
1996-07-16 00:00:00	59.3
1996-07:17 00:00:00	57.8
1996-07:18 00:00:00	888
[rul]	97.1

FIG. 18




F/G._/

0 8 | Curisoner Contomerations | Constitute Articles | Bill Articles | Articles | Britan Articles | Constitute | O Green Reporting demo - [Charl] BElle Edit View Project Demo Window Help Alavigation-

ë,

+

FIG._20



0




FIG. -35 Ready




FIG.-36




FIG. 27




FIG. 28

